

Surge pulsed magnetic field simulator

CWS 1200MF



As per Standards

- | | |
|---------------------------|--------------|
| > IEC 61000-4-9 | > ITU-T K.12 |
| > EN 61000-4-9 | > ITU-T K.20 |
| > GB/T 17626.9 | > ITU-T K.45 |
| > IEC61000-4-5 (optional) | > UL1449 |
| > GB/T 17626.5 (optional) | |

Description

CWS 1200MF is an intelligent surge pulsed magnetic field simulator to meet international standards and kinds of product standards for pulse magnetic field immunity tests. The magnetic field intensity is up to 1200A/m (Special requirements can be customized.)

Meet the immunity test requirements specified in CE and CCC certifications.

Fully automatic control by touch screen operation and offer you kinds of accessories to meet the applications of many EUTs.

Feature

- > 5.7 inch color touch screen operation on the front panel
- > Simple operation and test sequence scheduling
- > External magnetic coil, meet IEC61000-4-9
- > Ethernet interface, RJ45, for PC remote control, and printing test reports

Application

- | | |
|-----------------|--------------------------|
| > Communication | > Information technology |
| > Telecom | > Military |
| > Medical | > Aviation |
| > Radio and TV | > New energy and power |
| > Railway | > Electric Vehicle |

General parameters	
Display screen	5.7inch TFT Touch Screen
Range of working power supply	AC 110V/220V, $\pm 10\%$, 50/60Hz
Fuse	6A
Max. Power dissipation	200W
Communication mode	Ethernet, RJ45
Auxiliary interface	D-sub 25 p
External trigger input	BNC, 5V TTL
CRO trigger output	BNC, 5V TTL
Running control input	BNC, 5V TTL
Output of Warning lamp	0 - 220 V AC 10A / 0 - 48 V DC 3 A The power depends on the types of external signal lamp.
Safety circuit	Stop working when the safety circuit is not closed.
Failure detection	LCD will display the failure on the front panel and interrupt instrument working.
Instrument working status indicator	LED on the front panel indicates and LCD displays
Instrument grounding connection	Use flat ground wire
Detection output mode	Standard 1m coaxial cable
Size of crate (W*H*D)	19 inch/6U
Weight	Approx. 30Kg
Temperature range	15-35°C
Humidity range	45%-75%
Air pressure range	86kPa~106kPa

Pulse magnetic field test	
Range of output magnetic field	100A/m ~ 1200A/m (single-turn 1000mm*1000mm)
Waveform	Front time: 6.4 μ s \pm 30% Peak to half value: 16 μ s \pm 30%
Polarity	+/-/alternate
Trigger mode	Auto, manual, external signal trigger
Pulse period	5-99s (the shortest time depends on the test current)
Number of test times	1-999
Size of coil	1000*1000
Shape of coil	Rectangle
Turns of coil	Single turn



SUZHOU 3CTEST ELECTRONIC CO., LTD

Headquarter

Unit 2, Anda Industrial park, Jinshan Rd, SND, Suzhou,
 215011, China
 Tel: +86-512-68413700/3800/3900
 Fax: +86-512-68079795
<http://www.3ctest.cn>
 Email: info@3ctest.cn

BEIJING OFFICE

Room D 206, D block, Keshi Building, No.28, Shangdixinx
 Road, Haidian District, Beijing, China
 Tel: +86-010-82899984/82899948
 Fax: +86-010-82899943

CHENGDU OFFICE

Room 1501, Unit 3, Ideal Centre, No.38 Tianyi Street, SND,
 6100085, Chengdu, China
 Tel: +86-028-85327800
 Fax: +86-028-85311400

SHENZHEN OFFICE

Room 805, Huawei Building, Xili Chaguang Road, Nanshan
 District, Shenzhen, China.
 Tel: +86-755-86626625/86344313
 Fax: +86-755-26966255

Xi'an Office

Add.: Room 2204, Visa Yinghai Building, Green land Central
 Plaza, Jinye Road, Crossig of Zhangbasan Road, High-tech
 district, Xi'an city, China.
 Tel: +86-029-68985077/68985700
 Fax: +86-029-68717677



TAIWAN OFFICE

RICHTEC INSTRUMENTS CO., LTD
 6F-5, No.130, Ln.235, Baoqiao Rd, Xindian District, New
 Taipei City, 23145, Taiwan
 Tel: +886-2-89121185 Fax: +886-2-89121812
 Email: rich.tec@msa.hinet.net
<http://www.richtec.com.tw>



TESTEK Co.,LTD

Address: 601Ho, SungwoonKoa, 141 Hyeonam-ro,
 Suji-Gu, Yongin-Si, Gyeonggi-Do, 448-808
 Tel: 070-4099-2072 / H.P : 010-6500-6648
 Email: woo@testek.co.kr
<http://www.testek.co.kr>, www.3ctest.co.kr



Quantel Pte Ltd

Address: 46 Lorong 17 Geylang #05-02
 Enterprise Industrial Building
 Singapore 388568
 Tel: +65 6745 3200
 Email: info@quantel-global.com
<https://www.quantel-global.com>



The EMC Shop

Address: 7401 Galilee Rd. #160 Roseville, CA 95678
 Tel.: 844.423.7435
 Email: sales@theemcshop.com
<https://www.theemcshop.com>



Russia Agency:

"CDIP", llc.
 Add.: 121471, Moscow, Ryabinovaya street, house 69,
 building 5, room. 7
 Mr. Sventickiy Andrey
 Tel.: +79856003171 / +7(495) 956-20-22
 Email: info@cdip.ru / andrey.sventickiy@cdip.ru
www.cdip.ru